

NATIVE  
**KURANGA**  
NURSERY

Indigenous Stocklist 2023/24

## **AQUATICS AND BOG PLANTS** (located near pond)

<i>Baloskion tetraphyllum*</i>	<b>Tassel Cord-rush</b>	Lovely clump, decorative foliage, reddish/brown tassels Sp-S. Shallow water.
<i>Carex appressa</i>	<b>Tall Sedge</b>	Tussock. 40-60cm x 40-60cm. Yellow/brownish spikelets Sp-S. Moist-wet.
<i>Carex bichenoviana</i>	<b>Plains Sedge</b>	Suckering sedge to 60cm. dark flr spikes Sp. Heavy, seasonally wet soils.
<i>Carex breviculmis</i>	<b>Short-stem Sedge</b>	Tufted sedge 15cm high. Flr spikes Sp-S. Moist depressions to exposed slopes.
<i>Carex fascicularis</i>	<b>Tassel Sedge</b>	Drooping spikelets Sp-S. 1m x 1m. Sun or shade. Pond or bog plant.
<i>Carex gaudichaudiana*</i>	<b>Tufted Sedge</b>	Tufted sedge. 10-90cm high. Erect flr spikes Sp-S. Sun, semi-shade. Water's edge, bog.
<i>Carex tasmanica</i>	<b>Curly Sedge</b>	Tufted sedge to 40cm high. Flr spikes Sp. Sun or semi-shade, moist - wet.
<i>Centella cordifolia</i>	<b>Swamp Pennywort</b>	Creeping groundcover 1-2m. Kidney shaped leaves. Tiny white flrs. Moist - wet.
<i>Chorizandra cymbaria*</i>	<b>Heron Bristle-sedge</b>	Attractive erect rush, grey foliage, 60cm x 60cm. Brownish globular flr-heads Sp.
<i>Eleocharis acuta</i>	<b>Common Spike-sedge</b>	Semi aquatic, erect foliage, 30-60cm high, straw glumes, tinged brown Sp-Aut. Water-pond edge, moist.
<i>Eryngium vesiculosum</i>	<b>Prickfoot</b>	Small tufted herb, toothed leaves; pale blue globular flrs Sp-S. Moist.
<i>Empodisma minus</i>	<b>Spreading Rope-rush</b>	Wiry stems 50cm x spreading rhizomes. Brown spikelets Sp-S. Sun, semi-shade. Moist.
<i>Ficinia nodosa</i>	<b>Knobby Club-sedge</b>	Rush-like, 1m high. Unusual decorative globular 'seed heads' most of year. Moist.
<i>Gahnia sieberiana*</i>	<b>Red-fruited Saw-sedge</b>	Tall sedge to 1.5-3m x 2m. Pendulous leaves. Loose spikelets. Sp-S. Moist.
<i>Goodenia humilis*</i>	<b>Swamp Goodenia</b>	Matting, suckering herb 80cm-1m. Yellow flrs Sp-S. Sun-semi-shade, moist.
<i>Lythrum salicaria</i>	<b>Purple Loosestrife</b>	Bush 1-2 m; Showy clustered tubular purple flrs S-Aut. Moist-wet.
<i>Marsilea costulifera*</i>	<b>Small-leaf Nardoo</b>	Aquatic. Small light green clover foliage. Sun, semi-shade. Shallow water - wet.
<i>Marsilea drummondii*</i>	<b>Common Nardoo</b>	Aquatic. Large floating silverish clover foliage. Sun, semi-shade. Shallow-deep water.
<i>Mazus pumilio</i>	<b>Swamp Mazus</b>	Spreading suckering, 50-80cm. Mauve flrs Sp-S. Sun, semi-shade. Moist.
<i>Mimulus repens</i>	<b>Creeping Monkey Flower</b>	Spreading to 1m. Mauve flrs, yellow centre Sp-Aut. Sun, semi-shade. Moist, clay, loam, sand.
<i>Myriophyllum crispatum*</i>	<b>Upright Milfoil</b>	Robust aquatic to 1m. Floating fern-like foliage. Sun, semi-shade.
<i>Myriophyllum pedunculatum*</i>	<b>Mat Milfoil</b>	Spreading semi-aquatic. Tiny red flrs Oct-Mar. Pond edge. Semi-shade.
<i>Ranunculus glabrifolius</i>	<b>Shining Buttercup</b>	Stoloniferous. Green lobed foliage. Yellow flrs Sep-Jan. Pond edge. Sun, semi-shade.
<i>Ranunculus inundatus</i>	<b>River Buttercup</b>	Stoloniferous. Deeply divided foliage. Yellow flrs Sep-Feb. Pond edge. Sun, semi-shade.
<i>Selliera radicans</i>	<b>Shiny Swamp-mat</b>	Creeping, succulent foliage. White fan shaped flrs Sp-Aut. Moist-wet.
<i>Triglochin procera*</i>	<b>Water Ribbons</b>	Ribbon-like floating leaves. Greenish flr spikes Sp-Aut. Shallow-deep water.
<i>Triglochin striata</i>	<b>Streaked Arrowgrass</b>	Fine, strappy floating leaves. Greenish flrs Sp-Aut. Shallow water, pond edge.
<i>Villarsia reniformis*</i>	<b>Running Marsh-flower</b>	Erect, tufted, suckering to 2m. Yellow flrs Oct-Mar. Shallow still water. Sun, semi-shade.
<i>Xerochrysum palustre</i>	<b>Swamp Everlasting</b>	Erect. 30cm-1m. Golden yellow flr-heads Sp-Aut. Sun, semi-shade. Clay, loam.


## **CLIMBERS**

<i>Billardiera longiflora</i> - see <i>Billardiera macrantha</i>		
<i>Billardiera macrantha*#</i> 🐦	<b>Purple Apple-berry</b>	Slender twiner. Yellow-green bell flrs Aug-Jan. Deep purple berries. Semi-shade.
<i>Billardiera mutabilis*#</i> 🐦	<b>Common Apple-berry</b>	Light climber. Yellow-green bells most of year. Smooth green berries. Sun, semi-shade.
<i>Billardiera scandens</i>	<b>Velvet Apple-berry</b>	Stems climbing. Yellow flrs Nov-Feb. Velvety green berries. Sun, semi-shade.
<i>Billardiera scandens</i> var. <i>scandens</i> – see <i>Billardiera mutabilis</i>		
<i>Billardiera scandens</i> var. <i>brachyantha</i> – see <i>Billardiera scandens</i>		
<i>Clematis aristata*#</i> 🐦	<b>Old Man's Beard</b>	Medium climber. Masses large white flrs Sp-S. Decorative feathery seed-heads.
<i>Clematis microphylla*#</i>	<b>Small-leaved Clematis</b>	Medium climber. Creamy star flrs Sp. Sun, semi- shade. Clay, loam, sand.
<i>Comesperma volubile*</i>	<b>Love Creeper</b>	Delicate climber/twiner, slender leaves, profuse blue butterfly-like flrs Sp.
<i>Glycine clandestina*#</i>	<b>Twining Glycine</b>	Light climber. Clusters of pale purplish pea flrs Sp-S. Sun, semi-shade.
<i>Hardenbergia violacea*</i>	<b>Purple Coral Pea</b>	Medium climber. Clusters of deep purple pea flrs W-Sp. Sun, semi-shade.
<i>Pandorea pandorana*</i>	<b>Wonga Vine</b>	Vigorous. Decorative foliage, cream flrs with purplish throat, Sp. Sun, semi-shade.
<i>Parsonsia brownii*</i>	<b>Twining Silkpod</b>	Medium climber, small yellowish flrs Sp. Pendulous seed pods. Sun, semi-shade.

## GRASSES, LILIES AND TUFTING PLANTS

<i>Arthropodium milleflorum</i> *#	<b>Pale Vanilla-lily</b>	Tufted lily, 20-40cm high. Vanilla scented pale mauve flrs Sp-S. Sun, semi-shade.
<i>Arthropodium minus</i> *	<b>Small Vanilla-lily</b>	Grass-like tuft, 20-30cm high. Sweetly scented purple flrs Sp-S. Sun, semi-shade.
<i>Arthropodium strictum</i> *#	<b>Chocolate Lily</b>	Tufted lily, 20-40cm high. Chocolate scented mauve flrs Sp-S. Sun, semi-shade.
<i>Austrodanthonia caespitosa</i> - see <i>Rytidosperma caespitosum</i>		
<i>Austrodanthonia geniculata</i> - see <i>Rytidosperma geniculatum</i>		
<i>Austrodanthonia racemosa</i> - see <i>Rytidosperma racemosum</i>		
<i>Bulbine bulbosa</i> *#	<b>Bulbine Lily</b>	Clumping grass-like herb. Yellow flrs on stems to 60cm Sp-S. Full sun, semi-shade.
<i>Bulbine glauca</i> *	<b>Rock Lily</b>	Erect tufting clump 50cm high, Yellow star-like flrs Sp-S. Well drained soils, full sun.
<i>Caesia parviflora</i> *	<b>Pale Grass-lily</b>	Tufting 20-30cm herb. White flrs Sp-S. Moist, well-drained soils.
<i>Chamaescilla corymbosa</i>	<b>Blue Stars</b>	Dainty tufted lily, 5-20cm. Bright blue star flrs Aug-Nov. Moist soil. Sun, semi-shade.
<i>Dianella admixta</i> – see <i>Dianella revoluta</i> var. <i>revoluta</i>		
<i>Dianella amoena</i> *	<b>Matted Flax-lily</b>	Rare suckering plant, 45cm high. Sweetly scented pale blue flrs S. Blue berries.
<i>Dianella laevis</i> - see <i>Dianella longifolia</i> var. <i>longifolia</i>		
<i>Dianella longifolia</i> var. <i>longifolia</i>	<b>Pale Flax-lily</b>	Clump 60cm x 60cm. Pale blue flrs Sp-S. Dark blue/purple berries.
<i>Dianella revoluta</i> var. <i>revoluta</i> *#	<b>Black Anther Flax-lily</b>	Tufting clump 40-60cm. Pale blue flrs Sp-S. Shiny dark purple/blue berries.
<i>Dianella tasmanica</i> *	<b>Tasman Flax-lily</b>	Attractive suckering clump 80cm-1m x 1m. Blue flrs Sp-S. Violet-blue berries.
<i>Dicantheum sericeum</i>	<b>Silky Blue-grass</b>	Ornamental grass, 30-50cm high. Blue-grey foliage. Silky seed heads Sp-S.
<i>Dichelachne crinite</i>	<b>Long-Hair Plume-grass</b>	Widespread in Melbourne. Ornamental grass, 10cm high. Showy plumes Sp-S.
<i>Diplarrena moroea</i> *	<b>Butterfly Flag</b>	Rare in Melbourne. Tufting to 1m, strap leaves, white iris-like flrs Sp-S.
<i>Dryopoa dives</i>	<b>Giant Mountain-grass</b>	Erect annual, 50x50cm, Moist soils. Semi to full shade. Attractive fast growing grass.
<i>Hypoxis hygrometrica</i> var. <i>villosisepala</i>	<b>Golden Weather-grass</b>	Rare in Melbourne. Tufting herb, 5-20cm. Delicate yellow star flrs Sp-S.
<i>Imperata cylindrical</i>	<b>Blady Grass</b>	Erect 30-70cm. Pale green foliage with reddish tips. Well-drained soil, Sun, semi-shade.
<i>Lomandra filiformis</i> ssp. <i>filiformis</i> * 🌿	<b>Wattle Mat-rush</b>	Grey tussock, 20-40cm high. Creamy flrs Sp-S. Butterfly attracting.
<i>Lomandra longifolia</i> var. <i>longiflora</i> 🌿	<b>Spiny-headed Mat-rush</b>	Robust clump, 1m x 1m. Scented, cream/yellow flrs Sp-S. Clay, loam, sand.
<i>Lomandra multiflora</i> * 🌿	<b>Many-flowered Mat-rush</b>	Attractive clump, grey strappy foliage, 30-50cm high. Yellow flrs W-S.
<i>Microlaena stipoides</i> 🌿	<b>Weeping Grass</b>	Native substitute for lawn. Weeping greenish flr spikes Sp-S. Clay, loam, sand.
<i>Patersonia fragilis</i> *	<b>Short Purple-flag</b>	Delightful native iris, 20-50cm high. Vivid 3-petalled purple flrs Sp-S.
<i>Patersonia occidentalis</i> *	<b>Purple-flag</b>	Showy clump, 30-50cm. Purple iris-like flrs, Sp- S. Well drained, moist.
<i>Poa ensiformis</i> 🌿	<b>Purple-sheath Tussock-grass</b>	Dense grass, 50-70cm high. Dark green leaves, purple sheaths at base. Loam, sand.
<i>Poa labillardieri</i> var. <i>labillardieri</i> 🌿	<b>Common Tussock-grass</b>	Dense grey tussock 80cm-1m x 1m. Green to purplish spikes, 1.2m high Sp-S.
<i>Poa morrisii</i> 🌿	<b>Velvet Tussock-grass</b>	Dense grass, 30cm high. Velvety greyish foliage. Pale purplish spikes Sp-S.
<i>Poa poiiformis</i> var. <i>poiiformis</i> 🌿	<b>Coast Tussock-grass</b>	Dense grass, 80cm-1m x 1-1.2 m. Bluish/green foliage. Green spikes Sp-S.
<i>Poa sieberiana</i> var. <i>sieberiana</i> 🌿	<b>Grey Tussock-grass</b>	Dense, fine wiry foliage, 30cm x 30cm. Green spikes Sp-S. Sun, semi-shade.
<i>Poa tenera</i>	<b>Slender Tussock-grass</b>	Soft trailing stoloniferous grass 5-20cm. Moist soils. Semi to full shade.
<i>Rytidosperma caespitosum</i> 🌿	<b>Common Wallaby-grass</b>	Dense tussock .Cream seed heads Sp-S. Full sun, semi-shade. Clay, loam.
<i>Rytidosperma geniculatum</i> 🌿	<b>Knead Wallaby-grass</b>	Slender, fine wiry grass, 20cm x 30cm wide. Fluffy seed heads Sp-S.
<i>Rytidosperma racemosum</i> 🌿	<b>Clustered Wallaby-grass</b>	Dense tussock, 20cm x 30cm. Cream seed heads Sp-S. Sun, semi-shade.
<i>Stylidium armeria</i>	<b>Common Triggerplant</b>	Tufted herb 20-40cm high x 20-40 cm wide. Pale to bright pink-purple flrs, throat white with purple or yellow tips Sp-S. Full sun, semi-shade. Moist, well drained soils.
<i>Stylidium graminifolium</i>	<b>Grass Triggerplant</b>	Tufted herb 30-75cm. Pale to deep pink flrs Spring. Well drained. Sun, semi-shade.
<i>Thelionema caespitosum</i> *	<b>Tufted Blue Lily</b>	Greyish, grass-like foliage, 40-60cm. Vibrant blue starry flrs on tall stems S.
<i>Themeda triandra</i> *	<b>Kangaroo Grass</b>	Attractive, grassy tussock, 40-60cm. Decorative coppery brown seed heads Sp-S.

<i>Thysanotus patersonii</i>	<b>Twining Fringe-lily</b>	Lightly twining stem to 1m. Mauve flrs Aug-Nov. Well drained soil. Sun, semi-shade.
<i>Thysanotus tuberosus*</i>	<b>Common Fringe-lily</b>	Delicate tuft, 15-30cm high. Fringed mauve flrs on wiry stems in Sp-S.
<i>Trichoryne elatior*</i>	<b>Yellow Rush-lily</b>	Wiry grass-like clump 10-40cm. Dainty, bright yellow star flrs Sp-S.
<i>Xanthorrhoea minor ssp. lutea</i> ☞**	<b>Small Grass Tree</b>	Slow-growing grassy clump, cream flr spikes to 1.3m Sp-S. Sun, semi-shade.
<i>Xyris gracilis*</i>	<b>Slender Yellow-eye</b>	Rush-like, leafless wiry stems, 30-40cm. Dark buds, bright yellow flrs Sp-S.
<b>GROUNDCOVERS</b>		
<i>Acrotriche prostrata</i> ##	<b>Trailing Ground Berry</b>	Trailing x 1.2m. Tiny tubular greenish nectar-laden flrs W-Sp. Sun, semi-shade.
<i>Ajuga australis</i>	<b>Austral Bugle</b>	Spreading herb, 20-30cm x 30-60cm. Brown/red foliage. Purple spike flrs Sp-S.
<i>Atriplex semibaccata</i>	<b>Berry Saltbush</b>	Spreading shrub 20cm x 1-3m. Clusters of small flrs Sp-S. Red fruit in Aut. Sun, dry.
<i>Baeckea ramosissima</i> - see <i>Euryomyrtus ramosissima ssp. ramosissima</i>		
<i>Bossiaea prostrata</i> ☞	<b>Creeping Bossiaea</b>	Ornamental, layering plant x 50cm. Small oval leaves. Yellow/brown pea flrs Sp.
<i>Brachyscome basaltica</i> var. <i>gracilis</i> ☞	<b>Basalt Swamp-daisy</b>	Erect clumps, 30cm x 50cm. Fine foliage. Massed small yellow/white daisies all year.
<i>Brachyscome dentata</i>	<b>Lobe-seed Daisy</b>	Spreading 30-60cm, attractive yellow flrs becoming white Sp-S. Full sun, well drained.
<i>Brachyscome diversifolia</i>	<b>Tall Daisy</b>	Rare in Melbourne. Showy large white daisy flrs Sp- S. Sun, semi-shade.
<i>Brachyscome graminea</i>	<b>Grass Daisy</b>	Grass-like plant, 30cm x 30cm. Bright green foliage. White daisy flrs Sp- S. Sun.
<i>Brachyscome multifida</i>	<b>Cut-leaf Daisy</b>	Spreading 30-60cm. Profuse mauve daisies Sp-Aut. Sun, semi-shade.
<i>Brunonia australis*</i>	<b>Blue Pincushion</b>	Herb, 30cm x 10-30cm. Tiny rosettes of leaves. Beautiful blue pincushion flrs Sp-S.
<i>Calocephalus citreus</i>	<b>Lemon Beauty-heads</b>	Delicate, 20-30cm x 30-50cm. Silver/grey foliage. Yellow button flrs Sp-S.
<i>Calocephalus lacteus</i>	<b>Milky Beauty-heads</b>	Spreading suckering plant, 10cm x 1m. Silver/grey foliage. Cream button flrs Sp-S.
<i>Calotis scapigera*</i>	<b>Tufted Burr-daisy</b>	Suckering, spreading to 1m. White or lilac flr-heads Sp-W. Sun, Semi-shade.
<i>Carpobrotus rossii*</i>	<b>Native Pigface</b>	Spreading 1- 4m. Succulent foliage. Showy purple daisy flrs Sp-S. Purplish fruits.
<i>Chrysocephalum apiculatum</i>	<b>Yellow Buttons</b>	Suckering 1-1.5m. Silver foliage. Globular golden button flrs Sp-Aut.
<i>Chrysocephalum semipapposum</i>	<b>Clustered Everlasting</b>	Clumping 50cm x1m. Green/grey foliage. Clusters of yellow button flrs S-Aut.
<i>Coronidium gunnianum</i>	<b>Pale Everlasting</b>	Spreading to 1.5m, Single, yellow, button flrs Sep-Mar. Moist soils. Sun, semi-shade.
<i>Coronidium scorpioides</i>	<b>Button Everlasting</b>	Suckering. 20cm x 80cm. Grey foliage. Yellow button flrs Sp-S. Sun. Clay, loam, sand.
<i>Craspedia variabilis*</i>	<b>Common Billy-buttons</b>	Tufted herb, 30cm high. Eye-catching long stems bright yellow globular flrs Sp-S.
<i>Dampiera stricta*</i>	<b>Blue Dampiera</b>	Suckering herb, 30cm x 60cm. Deep blue flrs Sp-S. Sun, semi-shade. Loam, sand.
<i>Desmodium gunnii</i>	<b>Southern Tick-trefoil</b>	Scrambling, prostrate-50cm. Trifoliolate foliage. Pink pea flrs Sp-Aut. Dappled shade.
<i>Dichondra repens</i>	<b>Kidney-weed</b>	Ground hugging herb, 1-2m. Useful lawn substitute. Full Sun, semi-shade, full shade.
<i>Disphyma crassifolium ssp. clavellatum*</i>	<b>Rounded Noon-flower</b>	Spreading succulent x 1-2m. Daisy-like bright pink or mauve flrs Sp. Sun, semi-shade.
<i>Einadia nutans</i>	<b>Nodding Saltbush</b>	Scrambling. Clusters of greenish flrs Sp. Full sun.Well drained, sand, loam, clay. Coastal.
<i>Enchylaena tomentosa</i> var. <i>tomentosa</i>	<b>Ruby Saltbush</b>	Spreading, prostrate-1m. Succulent foliage. Yellow or red edible fruit. Tolerates dryness and salinity. Sun, semi-shade.
<i>Eryngium ovinum</i>	<b>Blue Devil</b>	Decorative, 50cm x 40cm; metallic blue flr-heads Sp-S. Sun. Clay, loam, sand.
<i>Euryomyrtus ramosissima ssp. ramosissima</i>	<b>Rosy Baeckea</b>	Attractive fine foliage, matting, erect or spreading plant. 60cm high x 80cm. White to pink flrs, W, Sp-S. Full sun, semi-shade. Moist sand, loam, clay. Excellent rockery.
<i>Frankenia pauciflora</i> var. <i>gunnii*</i>	<b>Common Sea-heath</b>	Attractive. Ground hugging x 1m.Mass tiny pink flrs Sp, S, Aut. Sun, semi shade. Coastal.
<i>Gonocarpus tetragynus</i>	<b>Common Raspwort</b>	Wiry, erect herb. 10-30cm. Tiny flrs with reddish bracts Sep-Feb. Well-drained soils.
<i>Goodenia elongata*</i>	<b>Lanky Goodenia</b>	Dwarf, tufting. 50cm x 1m. Glossy green leaves. Yellow flrs, Sp-S. Sun, semi-shade.
<i>Goodenia gracilis</i>	<b>Slender Goodenia</b>	Attractive, erect herb. 50cm x 50cm. Yellow flrs, Sp-S. Sun, semi-shade.
<i>Goodenia lanata*</i>	<b>Trailing Goodenia</b>	Trailing,50cm-1.5m.Yellow flrs on long stems, Sp-S. Full sun, semi-shade. Extended dry.
<i>Goodenia pinnatifida</i>	<b>Cut-leaf Goodenia</b>	Tufted rosette, 20-50cm x 20-60cm. Large bright yellow flrs Sp and Aut. Full sun.
<i>Helichrysum leucopsidium</i> - see <i>Xerochrysum leucopsidium</i>		
<i>Helichrysum rutidolepis</i> - see <i>Coronidium gunnianum</i>		

<i>Helichrysum scorpioides</i> - see <i>Coronidium scorpioides</i>		
<i>Hibbertia fasciculata</i> var. <i>prostrata</i>	<b>Bundled Guinea-flower</b>	Spreading stems to 30cm. Small rockery. Showy yellow flrs Sp. Sun, semi-shade.
<i>Hibbertia prostrata</i> - see <i>Hibbertia fasciculata</i> var. <i>prostrata</i>		
<i>Isotoma fluviatilis</i>	<b>Swamp Isotome</b>	Matting, suckering x 1m. Blue star flrs Sp-Aut. Sun, semi-shade. Clay, loam, sand.
<i>Kennedia prostrata</i> *	<b>Running Postman</b>	Trailing x 1-2m. Crinkly grey/green leaves. Scarlet pea flrs W-Sp. Sun, semi-shade.
<i>Lagenifera stipitata</i>	<b>Blue Bottle-daisy</b>	Small 5-25cm. white, mauve or purple flrs Sep-Jan. Moist well-drained. Sun, semi-shade.
<i>Leptorhynchos squamatus</i> *	<b>Scaly Buttons</b>	Slender stems, 10-30cm x 40cm. Yellow button flr-heads Sp-S. Loam, sand.
<i>Leptorhynchos tenuifolius</i> *	<b>Wiry Buttons</b>	Delicate, wiry stems, 10-30cm x 30cm. Bright yellow buttons Sp-Aut. Sun, semi-shade.
<i>Leucochrysum albicans</i> *	<b>Hoary Sunray</b>	Dense clump 30cm x 30cm. Grey foliage. Yellow papery flrs S-Aut. Sun. Loam, sand.
<i>Linum marginale</i> #	<b>Native Flax</b>	Graceful, slender, wiry habit, 30-60cm x 30cm. Pale blue flrs Sp-S. Sun, semi-shade.
<i>Lobelia alata</i> - see <i>Lobelia anceps</i> *		
<i>Lobelia anceps</i> *	<b>Angled Lobelia</b>	Spreading 30cm x 1.2m. Pale blue fan shaped flrs most of year. Semi-shade, shade. Moist.
<i>Mentha australis</i> #	<b>River Mint</b>	Suckering herb. Aromatic foliage. Pale mauve flrs Sp-Aut. Sun, semi-shade. Moist.
<i>Mentha diemenica</i> #	<b>Wild Mint</b>	Aromatic spreading herb. 20cm x 1m. Purplish flrs Sp-Aut. Sun, semi-shade. Moist.
<i>Microseris lanceolata</i> #*	<b>Yam Daisy</b>	Tufted herb. 40 x 25cm. Bright yellow daisy flr on long stalk W-Sp. Sun, semi-shade.
<i>Myoporum parvifolium</i> 	<b>Creeping Boobialla</b>	Dense, self layering, prostrate x 3m. Profuse white flrs Sp-Aut. Clay, loam, sand.
<i>Pelargonium australe</i> *	<b>Austral Stork's-bill</b>	Clumping 30-60cms x 1m. Soft, round, aromatic foliage. White flrs, reddish/purple Sp-S.
<i>Pelargonium rodneyanum</i> *	<b>Magenta Stork's-bill</b>	Loose clump 30cm x 30-50cm. Showy magenta flrs Sp-S. Sun, semi-shade.
<i>Platylobium formosum</i> - see <i>Platylobium infecundum</i>		
<i>Platylobium infecundum</i> *	<b>Famine Flat-pea</b>	Scrambling, 30cm x 80cm-1m. Large orange-red pea flrs Sp. Sun, semi-shade.
<i>Platylobium obtusangulum</i> *	<b>Common Flat-pea</b>	Trailing, 50-80cm x 80cm-1.2m. Large yellow/red flrs Sp. Sun, semi-shade. Clay, loam.
<i>Podolepis jaceoides</i> *	<b>Showy Podolepis</b>	Tufting, 30cm x 30cm. Showy large golden daisies on tall stems Sp-S.
<i>Ptilotus spathulatus</i> *	<b>Pussy Tails</b>	Attractive, prostrate x 40cm. Single fluffy green-brown flrs Sp-Aut. Sun. Well drained.
<i>Pultenaea pedunculata</i> *	<b>Matted Bush-pea</b>	Dense, matting x 1-1.2m. Orange/yellow pea flrs Sp-S. Sun, semi-shade.
<i>Pycnosorus chrysanthes</i> *	<b>Golden Billy Buttons</b>	Tufting, 30cm x 30cm. Silvery foliage. Bright yellow globular flr-heads Sp-Aut. Sun.
<i>Pycnosorus globosus</i> *	<b>Drumsticks</b>	Clumping 20-30cm x 30cm. Large bright yellow globular flr-head Sp-S. Sun.
<i>Rhodanthe anthemoides</i> *	<b>Chamomile Sunray</b>	Delightful, 20-30cm x 40-60cm. Scented. Papery white daisies/yellow centres W-Sp.
<i>Scutellaria humilis</i> *	<b>Dwarf Skull Cap</b>	Dainty, stoloniferous, 15cm x 30-60cm. Pink flrs Oct-Apr. Semi to full shade.
<i>Stackhousia monogyna</i> *	<b>Creamy Candles</b>	Pretty herb. Upright stems to 30cm. Aromatic, creamy candles. Sun, semi-shade. Moist.
<i>Tetragonia tetragonioides</i> #	<b>Warrigal Greens</b>	Spreading succulent x 2m. Tiny green flrs, green berries. Sp-S. Sun. Loam, sand.
<i>Trachymene composite</i> var. <i>composita</i>	<b>Wild Parsnip</b>	Annual or biennial. Basal rosette of foliage. Lacy white flrs Sep-Mar, Sand. Sun, semi-shade.
<i>Velleia paradoxa</i> *	<b>Spur Velleia</b>	Herb 20cm x 20cm wide. Large yellow flrs Sp-S. Sun, part shade. Well drained.
<i>Viola hederacea</i> #	<b>Native Violet</b>	Suckering x 1-2m. White flrs/purple centres, all year. Sun-full shade. Moist to wet.
<i>Wahlenbergia communis</i> *	<b>Tufted Bluebell</b>	A tufted perennial with blue or white bell flrs in Sp-S. Moist, well drained soil, frost resistant.
<i>Wahlenbergia stricta</i> blue*	<b>Tall Bluebell</b>	Suckering, 30-60cm x 1m. Wiry stems. Blue 5-petalled flrs Sp-S. Sun, semi-shade.
<i>Wahlenbergia stricta</i> white*	<b>White Tall Bluebell</b>	Suckering, 30-60cm x 1m. Wiry stems. White 5-petalled flrs Sp-S. Sun, semi-shade.
<i>Xerochrysum leucopsideum</i> *	<b>Satin Everlasting</b>	Erect herb. 40cm x 50cm. White paper daisies, yellow centres long stalks. Sp-Aut.

## **SMALL SHRUBS under 1 metre**

<i>Acacia aculeatissima</i> * 🌿	<b>Snake Wattle</b>	Fine trailing foliage, prostrate x 1m. Yellow ball flrs late W-Sp. Sun, semi-shade.
<i>Acacia brownii</i> * 🌿	<b>Golden Prickly Wattle</b>	Spreading 50cm-1m high x 1-2m, prickly. Golden yellow ball flrs W-Sp. Semi-shade. Dry.
<i>Acacia gunnii</i> * 🌿	<b>Ploughshare Wattle</b>	Open spreading, 30-60cm x 1-1.4m. Prickly dense foliage, pale yellow balls W-Sp.
<i>Almaleea subumbellata</i> *	<b>Wiry Bush-pea</b>	Erect or trailing habit, 40-60cm x 1-1.2m. Clusters yellow/red pea flrs Sp.
<i>Asterolasia asteriscophora</i> *	<b>Lemon Star-bush</b>	Slender, upright, 80cm x 80cm. Soft hairy leaves. Pale yellow stars in Sp. Semi-shade.
<i>Bauera rubioides</i>	<b>Wiry Bauera/Dog Rose</b>	Bushy, 60cm x 60cm. Showy pink flrs most of year. Sun, semi-shade. Clay, loam, sand.
<i>Bossiaea cinerea</i> *	<b>Showy Bossiaea</b>	Erect, dense. Profuse yellow and red pea flrs Aug-Dec. Sun, semi-shade.
<i>Bossiaea cordigera</i> * 🌿	<b>Wiry Bossiaea</b>	Beautiful, scrambling 50cm x 1m. Tiny leaves, red new growth. Yellow/red peas Sp.
<i>Correa reflexa</i> var. <i>reflexa</i> * 🌿	<b>Common Correa</b>	Compact, 60cm x 60cm. Profusion of green bell flrs Aut-Sp. Sun, semi-shade.
<i>Cryptandra amara</i> *	<b>Bitter Cryptandra</b>	Pretty, 30cm x 40cm. Dainty foliage. Clusters of white flrs W-Sp. Sun, semi-shade.
<i>Dillwynia cinerascens</i> *	<b>Grey Parrot-pea</b>	Erect, 70-80cm x 80cm-1m. Clusters of yellow/orange pea flrs Sp. Sun, semi-shade.
<i>Dillwynia glaberrima</i> *	<b>Heath Parrot-pea</b>	Wiry, 80cm-1m x 80cm. Fine foliage. Clusters yellow/red pea flrs Sp. Sun, semi-shade.
<i>Dillwynia phyllicoides</i> *	<b>Small-leaf Parrot-pea</b>	Shrub to 1m. Clusters yellow/red pea flrs Sp. Sun, semi-shade. Loam, sand.
<i>Dillwynia sericea</i> *	<b>Showy Parrot-pea</b>	Shrub to 1m. Profuse orange pea flrs W-Sp. Sun, semi-shade. Sand, loam, clay.
<i>Epacris gunnii</i> * 🌿	<b>Ace of Spades</b>	Rare in Melb. Erect, 70cm x 40cm. White star flrs along stems most of year.
<i>Epacris impressa</i> * 🌿	<b>Common Heath</b>	Wiry, 50-60cm x 50cm. Profusion white or pink tubular flrs along stems W-Sp.
<b>Victoria's Floral Emblem</b>		
<i>Eutaxia microphylla</i> var. <i>diffusa</i> *	<b>Spreading Eutaxia</b>	Upright, erect, 30-80cm x 0.8-1.2m. Yellow pea flrs Aug-Nov. Most conditions.
<i>Grevillea alpina</i> * 🌿	<b>Mountain Grevillea</b>	Dense, 60cm-1m x 80cm. Showy bright red/yellow flrs W-Sp. Sun, semi-shade.
<i>Hibbertia acicularis</i> *	<b>Prickly Guinea-flower</b>	Low shrub, 30-50cm x 60cm. Bright yellow flrs Sp. Sun, semi-shade. Loam, sand.
<i>Hibbertia obtusifolia</i> *	<b>Showy Guinea-flower</b>	Small, rounded, 50cm x 50cm. Showy large yellow flrs Sp-S. Sun, semi-shade.
<i>Hibbertia riparia</i> *	<b>Erect Guinea-flower</b>	Small 20-50cm x 40-80cm. Golden/yellow flrs W- Sp. Sun, semi-shade. Loam, sand.
<i>Hibbertia sericea</i> *	<b>Silky Guinea-flower</b>	Erect, 50cm x 60cm. Soft green foliage. Bright yellow flrs Sp-S. Sun, semi-shade.
<i>Hovea heterophylla</i> *	<b>Common Hovea</b>	Shrub, 30-60cm x 20-40cm. Mauve/purple pea flrs W-Sp. Semi-shade. Clay, loam, sand.
<i>Hovea linearis</i> - see <i>Hovea heterophylla</i>		
<i>Isopogon ceratophyllus</i> *	<b>Horny Cone-bush</b>	Rounded shrub. Locally rare. Golden yellow flr-heads Sp. Sun. Clay, loam, sand.
<i>Leucophyta brownii</i> *	<b>Cushion Bush</b>	Eye-catching silver foliage. Creamy button flrs Sp-S. Sun. Loam, sand. Coastal.
<i>Leucopogon ericoides</i> *	<b>Pink Beard Heath</b>	Shrub, 80cm-x 80cm-1m. Dainty white to pink flrs/pink buds W-Sp. Sun, semi-shade.
<i>Leucopogon virgatus</i> *	<b>Common Beard Heath</b>	Shrub, 40-60cm x 40-60cm. Wiry stems. Clusters of small white flrs W-Sp.
<i>Lomatia ilicifolia</i> *	<b>Holly-leaf Lomatia</b>	Neat, 40-60cm x 40-60cm. Holly-like foliage. Fragrant racemes of cream flrs Sp-S.
<i>Olearia myrsinoides</i>	<b>Silky Daisy-bush</b>	Shrub, 50-80cm x 40cm-1m. Dark green foliage/silver below. White daisies Sp-S.
<i>Olearia</i> species affin. <i>Lanuginosa</i> - see <i>Olearia sp.2</i>	<b>Peninsula Daisy-bush</b>	Rounded, 50cm x 40cm. Silverish foliage. White daisies Sp-S. Sun, semi-shade.
<i>Olearia sp.2</i>		
<i>Pimelea glauca</i> *	<b>Smooth Rice-flower</b>	Rounded 30-60cm x 30-60cm. Clusters of creamy/white flrs Sp-S. Sun, semi-shade.
<i>Pimelea humilis</i> *	<b>Common Rice-flower</b>	Low clump, 30cm x 40-80cm. Grey foliage. Showy white flr-heads Sp-S.
<i>Pimelea linifolia</i> ssp. <i>linifolia</i>	<b>Slender rice-flower</b>	Variable, prostrate-1m, Creamy pink flrs Sep-Dec. Well-drained. Sun, semi-shade.
<i>Pultenaea dentata</i> *	<b>Clustered Bush-pea</b>	A rare plant locally, 50cm-1m x 40-80cm. Yellow/red pea flrs Sp. Sun, semi-shade.
<i>Pultenaea gunnii</i> *	<b>Golden Bush-pea</b>	Erect. 80cm-1m x 40-80cm. Profusion yellow-orange/red pea flrs Sp. Semi-shade.
<i>Pultenaea hispidula</i> *	<b>Rusty Bush-pea</b>	Graceful, weeping 1-1.5m x 1-1.5m. Soft foliage. Yellow pea flrs Sp. Semi-shade.
<i>Sambucus gaudichaudiana</i>	<b>Native Elderberry</b>	Upright, stems annual, 0.6-1m. White flrs Oct-Feb. Edible berries. Moist soils. Shade.
<i>Tetradthea ciliata</i> *	<b>Pink-Bells</b>	Pretty clump. 20-50cm x 30-60cm. Showy pink bell flrs Sp. Semi-shade. Loam, sand.
<i>Xerochrysum viscosum</i> *	<b>Sticky Everlasting</b>	Showy. 50-80cm x 30-50cm. Bright yellow papery flrs Sp- Aut. Butterfly plant.

### **MEDIUM SHRUBS 1 – 3 metres**

<i>Acacia acinacea*</i> 🌿	<b>Gold Dust Wattle</b>	Showy. 0.5-2.5m x 2-4m. Deep golden balls W- Sp. Sun, semi- shade. Clay, loam, sand.
<i>Acacia genistifolia</i> 🌿	<b>Spreading Wattle</b>	Open 1.5- 3m x 1.5-2m. Creamy/yellow ball flrs Sp-Aut. Sun, semi-shade. Clay, loam.
<i>Acacia myrtifolia</i> 🌿	<b>Myrtle Wattle</b>	Upright 1.5-3m x 1-1.5m. Pale yellow flrs W-Sp. Sun, semi-shade. Clay, loam, sand.
<i>Acacia oxycedrus</i>	<b>Spike Wattle</b>	Erect, spreading, 1-3 x 2-5m. Showy yellow flr spikes Jun-Nov. Sun, semi-shade.
<i>Acacia suaveolens</i> ssp. <i>suaveolens</i> 🌿	<b>Sweet Wattle</b>	Open 1.5-3m x 1.5-2m. Bluish/green foliage. Fragrant pale yellow balls Aut-Sp.
<i>Acacia ulicifolia</i> 🌿	<b>Juniper Wattle</b>	Needle-like foliage, 1-2m. Pale yellow ball flrs Sp-S. Sun, semi-shade. Moist, clay, loam, sand.
<i>Allocasuarina paludosa</i>	<b>Swamp Sheoak</b>	Bushy, slender. 0.5-2m x 1-1.3m. Russet flrs Aut-Sp. Sun, semi-shade. Clay, loam, sand.
<i>Allocasuarina paradoxa</i>	<b>Green Sheoak</b>	Upright, dense, 0.5-2m x 1-2m. Reddish-brown flrs Sep-Nov. Well drained sandy soils. Sun, semi-shade.
<i>Alyxia buxifolia*</i> 🌿	<b>Sea Box</b>	Dense, spreading 1-3m high x 1-3m. Scented white flrs/orange center Sp-S. Full sun, Dry.
<i>Aotus ericoides*</i>	<b>Common Aotus</b>	Fast growing, showy, 1.5m x 50cm-1.2m. Clusters red/yellow pea flrs Sp-S. Sun, shade.
<i>Atriplex cinerea</i>	<b>Coast Saltbush</b>	Fast growing, 1-2m x 2-3m. Silver-grey foliage. Leaves edible after cooking. Coastal.
<i>Calytrix tetragona*</i>	<b>Common Fringe-myrtle</b>	Attractive 1-2m x 1-2m. Profuse white star flrs in Sp. Sun, semi-shade.
<i>Correa alba</i> var. <i>alba*</i> 🌿	<b>White Correa</b>	Dense rounded 0.5-2m x 1-3m. Oval grey foliage. Profusion white star flrs Sp-Aut.
<i>Correa glabra*</i> 🌿	<b>Rock Correa</b>	Attractive. 1-3m x 1-3m. Deep green, shiny leaves. Green bell flrs Aut-Sp.
<i>Daviesia latifolia*</i>	<b>Hop Bitter-pea</b>	Erect 1-3m x 1-2m. Greyish leaves. Sprays of yellow/burnt orange flrs Sp.
<i>Daviesia leptophylla*</i>	<b>Narrow-Leaf Bitter-pea</b>	Open. 1-2m x 1-1.5m. Dark green leaves. Yellow/red pea flrs Sp. Sun, semi-shade.
<i>Daviesia ulicifolia</i> ssp. <i>ulicifolia</i>	<b>Gorse Bitter-Pea</b>	Stiff, tangled, 1-2m. Small spiny foliage. Yellow pea flrs Aug-nov. Well-drained soils. Semi-shade.
<i>Dodonaea viscosa</i> ssp. <i>cuneata</i> 🌿	<b>Wedge-leaf Hop-bush</b>	Dense 1-3m x 1-3m. Tiny flrs Sp. Red/brown fruits. Sun, semi-shade. Clay, loam, sand.
<i>Goodenia ovata</i>	<b>Hop Goodenia</b>	Spreading 1-2m x 1.5-2m. Yellow flowers Sp-S. Sun, semi-shade. Clay, loam, sand.
<i>Grevillea</i> sp. aff. <i>rosmarinifolia*</i> 🌿	<b>Rosemary Grevillea</b>	Bushy 0.5-2m x 0.3-2m. Red/cream W-Sp. Sun, semi-shade. Clay, loam.
<i>Hakea nodosa*</i> 🌿	<b>Yellow Hakea</b>	Bushy 1-3m x 2-3m. Yellow flrs clustered along stems Aut-W. Sun, semi-shade.
<i>Hakea teretifolia</i> ssp. <i>hirsuta*</i> 🌿	<b>Dagger Hakea</b>	Prickly 2-3m x 2-3m. Scented white flrs Sp-S. Sun, semi-shade. Clay, loam, sand.
<i>Indigofera australis*</i> 🌿	<b>Austral Indigo</b>	Open 1-2m x 1.5-2m, racemes pink-lilac pea flrs W-Sp. Sun, semi-shade.
<i>Lasiopetalum baueri*</i>	<b>Slender Velvet-bush</b>	Bushy 1m x 1.5m. Grey foliage, rusty new growth. Clusters cream/pink flrs in W-Sp.
<i>Leptospermum continentale</i>	<b>Prickly Tea-tree</b>	Erect 1-2m x 1-2m. Profuse white flrs Sp-S. Sun, semi-shade. Bird habitat.
<i>Leptospermum myrsinoides</i>	<b>Silky Tea-tree</b>	Erect, bushy 1.5- 2m x 1.2m. Showy white flrs in Sp. Sun, semi-shade. Clay, loam, sand.
<i>Myoporum petiolatum*</i> 🌿	<b>Sticky Boobialla</b>	Dense 1.5-2m x 2m. Deep green foliage. White flrs/purple spots Sp. Sun, semi-shade.
<i>Myoporum viscosum</i> - see <i>Myoporum petiolatum</i>		
<i>Olearia axillaris</i>	<b>Coast Daisy-bush</b>	Bushy, 1-2m. Cottony grey foliage. White flrs Dec-May. Coastal. Full sun.
<i>Olearia glandulosa</i>	<b>Swamp Daisy-bush</b>	Open 1.5-2m x 1.5m. Dark green foliage. White daisies/yellow centre S-Aut. Sun.
<i>Olearia glutinosa</i>	<b>Sticky Daisy-bush</b>	Dense, 1-2m. Sticky new growth. White daisy flrs Dec-Feb. Coastal. Sun, semi-shade.
<i>Olearia ramulosa</i>	<b>Twiggy Daisy-bush</b>	Open 1-2.5m x 1m. Fine foliage. Profuse small white daisies Sp-S. Sun, semi-shade.
<i>Ozothamnus obcordatus</i>	<b>Grey Everlasting</b>	Slender 1-2m x 60-80cm. Dense clusters yellow flrs Sp-S. Sun, semi-shade.
<i>Pimelea axiflora*</i>	<b>Bootlace Bush</b>	Graceful, open, arching habit to 2.5m. Clusters cream flrs Sp. Semi-shade, full shade.
<i>Pimelea flava*</i>	<b>Yellow Rice-flower</b>	Erect open 1-2m x 80cm. Bright green foliage. Clusters yellow flrs Sp. Semi-shade.
<i>Pimelea ligustrina</i> ssp. <i>ligustrina*</i>	<b>Tall Rice-flower</b>	Slender, 0.5-2.5m x 1.5m. Masses of large white flrs Oct-Mar. Moist soils. Semi to full shade.
<i>Platysace lanceolata</i>	<b>Shrubby Platysace</b>	Dainty small (.5-1m high) compact shrub. Has pretty light pink flrs in profusion during Sp-S. Fairly hardy. Adapts to most soils.
<i>Pomaderris elachophylla*</i>	<b>Lacy Pomaderris</b>	Open, 1-3.5m x 1-2m. Tiny cream flrs Oct-Nov. Frost tolerant. Semi-shade.
<i>Pomaderris lanigera*</i>	<b>Woolly Pomaderris</b>	Uncommon in Melb. Attractive 1-3m x 1-3m. Clusters large bright yellow flrs Sp.
<i>Pomaderris paniculosa</i> ssp. <i>paralia</i>	<b>Coast Pomaderris</b>	Bushy 1.3- 2m x 1.5m. Soft, oval green foliage. Cream flrs Sp .Sun, semi-shade.

<i>Prostanthera melissifolia</i>	<b>Balm Mint-bush</b>	Dense 1-3m x 1-2m. Aromatic foliage. Profuse, showy mauve flrs Sp. Semi-shade.
<i>Pultenaea daphnoides*</i> <i>Pultenaea forsythiana*</i>	<b>Large-leaf Bush-pea</b> <b>Prickly Bush-pea</b>	Erect, open 1-3m x 1-1.5m. Clusters yellow/brown pea flrs Sp. Semi-shade. Rare in Melb. 1-2.5m x 1.5m. Showy, fragrant yellow/red pea flrs Sp. Semi-shade.
<i>Pultenaea juniperina</i> var. mucronata - see <i>Pultenaea forsythiana*</i>		
<i>Pultenaea scabra*</i>	<b>Rough Bush-pea</b>	Bushy 1.3-2m x 1-1.5m. Dark green foliage. Orange/yellow pea flrs Sp. Semi-shade.
<i>Rhagodia parabolica</i> 🐦 <i>Ricinocarpus pinifolius*</i>	<b>Fragrant Saltbush</b> <b>Wedding Bush</b>	Rare. Upright. 1.5-2m x 1.5m. Greyish foliage. Fragrant white flrs S. Red berries. Open 1-3m x 1-2.5m. Showy, fragrant white flrs Sp. Sun, semi-shade. Loam, sand.
<i>Senna artemisioides</i> ssp. <i>filifolia*</i> <i>Spyridium parvifolium</i>	<b>Desert Cassia</b> <b>Australian Dusty Miller</b>	Attractive 1-3m x 1-1.5m. Green foliage. Bright yellow flrs W-Sp. Sun. Loam, sand. Dense 1-2m x 1.2-1.5m. Soft green, oval leaves. White flrs creamy/grey bracts W- Sp.
<b>LARGE SHRUBS 3 metres and above</b>		
<i>Acacia mucronata</i> ssp. <i>longifolia</i> <i>Acacia paradoxa</i>	<b>Narrow-leaf Wattle</b> <b>Hedge Wattle</b>	Erect, 2-6m x 2-5m. Cream to yellow spikes Aug-Oct. Moist, well-drained soils. Sun, semi-shade. Dense, 2-4m x 2-5m. Sharp phyllodes. Single yellow ball flrs Aug-Nov. Sun, semi-shade.
<i>Acacia stricta</i> 🐦 <i>Acacia verticillata*</i> 🐦 <i>Banksia marginata</i> ## 🐦 <i>Banksia spinulosa</i> var. <i>cunninghamii*</i> 🐦 <i>Bedfordia arborescens</i> <i>Bursaria spinosa*</i>	<b>Hop Wattle</b> <b>Prickly Moses</b> <b>Silver Banksia</b> <b>Hairpin Banksia</b>	Upright 2-5m x 1.5-2m. Grey foliage. Lemon ball flrs W-Sp. Sun, semi-shade. Prickly 2-5m x 2-3m. Lemon rod flrs W-Sp. Sun, semi-shade. Good bird habitat. Attractive, dense 1-6m x 1-4m. Silvery foliage. Showy yellow candles S-Aut. Bushy 2.5-4m x 2-4m. Large flr spikes honey-coloured/black styles Aut-W.
<i>Callistemon sieberi*</i> 🐦 <i>Coprosma quadrifida</i> ## 🐦	<b>Blanket Leaf</b> <b>Sweet Bursaria</b> <b>River Bottlebrush</b> <b>Prickly Currant-bush</b>	Open 3-7m x 2-4m. Small yellow daisy flrs Sp-S. Semi-shade. Clay, loam, sand. Slender 3-8m x 2-3m. Prickly branches. Fragrant cream flrs S. Butterfly attracting. Dense, arching 2-4m x 2-3m. Cream bottlebrushes Sp-S. Sun, semi-shade. Upright 2-4m x 1-1.5m. Dainty foliage/spines. Small greenish flrs Sp. Red fruits S.
<i>Goodia lotifolia</i> 🐦 <i>Hakea decurrens</i> ssp. <i>physocarpa</i> 🐦 <i>Hakea ulicina</i> 🐦	<b>Golden-tip</b> <b>Bushy Needlewood</b> <b>Furze Hakea</b>	Erect, open 2-4m x 2-3m. Pea flrs yellow/red blotches Sp. Sun, semi-shade. Dense, prickly 2.5-4m x 1.5-2.5m. White flrs W-Sp. Sun, semi-shade. Bird habitat. Erect 2-5m x 1-2.5m. Clusters white flrs W-Sp. Sun, semi-shade. Clay, loam, sand.
<i>Hymenanthera dentata</i> – see <i>Melicytus dentatus</i> <i>Kunzea ericoides</i> – see <i>Kunzea</i> sp. <i>Kunzea</i> sp. 🐦	<b>Burgan</b>	Graceful, weeping 2-5m x 3-4m. White flrs Sp-S. Sun, semi-shade. Clay, loam, sand.
<i>Leptospermum grandifolium</i> <i>Leptospermum laevigatum</i> <i>Leptospermum lanigerum</i> <i>Leucopogon parviflorus</i> ##	<b>Mountain Tea-tree</b> <b>Coast Tea-tree</b> <b>Woolly Tea-tree</b> <b>Coast Beard Heath</b>	Erect, dense 3-6m x 2-3m. Attractive foliage. Large white flrs Sp-S. Bushy, 2-5m x 2-4m. Showy white flrs Aug-Nov. Coastal. Sun, semi-shade. Dense 3-6m x 1.5-3m. Grey foliage. Fragrant white flrs Sp-S. Clay, loam, sand. Bushy 1-4m x 2-3m. Bearded white flrs/tinged maroon W-Sp. Sun, semi-shade. Sand.
<i>Lomatia fraseri*</i> <i>Lomatia myricoides*</i> <i>Melaleuca squarrosa</i> 🐦 <i>Melicytus dentatus</i>	<b>Forest Lomatia</b> <b>River Lomatia</b> <b>Scented Paperbark</b> <b>Tree Violet</b>	Attractive, bushy 2.5-6m x 2-4m. Showy cream spider flrs S. Semi-full shade. Rounded 3-5m x 2-4.5m. Showy, fragrant cream flrs S. Semi-full shade. Papery bark 3-5m x 1.5-3.5m. Fragrant, creamy/yellow bottlebrush flrs Sp-S. Erect, spreading, 2-4m x 1-2.5m. Spines. Fragrant cream flrs Sep-Nov. Sun, semi-shade.
<i>Myoporum insulare</i> ## 🐦 <i>Myrsine howittiana*</i>	<b>Coast Boobialla</b> <b>Muttonwood</b>	Bushy 2-6m x 3-4.5m. White flrs W-Sp. Fleshy fruits. Sun, semi-shade. Pyramidal 2-8m x 2-4m. Glossy, leathery leaves. Greenish flrs W-Sp. Semi-shade.
<i>Olearia argophylla</i>	<b>Musk Daisy-bush</b>	Rounded 3-8m x 3-5m. Large dark green leaves, silver underneath. White flrs Sp-S.
<i>Olearia lirata</i> <i>Pittosporum bicolor*</i> 🐦 <i>Pomaderris aspera</i>	<b>Snowy Daisy-bush</b> <b>Banyalla</b> <b>Hazel Pomaderris</b>	Soft, open 2-5m x 2-3m. White daisy flrs Sp. Semi-shade. Clay, loam, sand. Upright 3-8m x 2-4m. Deep green foliage. Fragrant, yellow bell shaped flrs Sp. Attractive 3-10m x 2-4m. Soft leaves/rusty new growth. Clusters bright yellow flrs Sp.
<i>Pomaderris elliptica*</i>	<b>Smooth Pomaderris</b>	Rare in Melb. Rounded 2-4m x 2-3m. Large clusters yellow flrs Sp. Sun, semi-shade.
<i>Pomaderris racemosa</i>	<b>Slender Pomaderris</b>	Slender, 2-5m x 1-2m. Cream-yellow flrs Oct-Dec. Well-drained soil. Semi to full shade.
<i>Pomaderris vacciniifolia</i>	<b>Round-leaf Pomaderris</b>	Open, 1-4m x 1-3m. Creamy white flrs Oct-nov. Well-drained soil. Sun, semi-shade.
<i>Prostanthera lasianthos</i> var. <i>lasianthos</i>	<b>Victorian Christmas Bush</b>	Upright 3-8m x 2-3m. Aromatic foliage. White flrs/purple markings S. Semi-shade.



*Rapanea howittiana* - see *Myrsine howittiana*

*Rhagodia candollaena* ssp. **Seaberry Saltbush**  
*candollaena*  
*Solanum aviculare* **Kangaroo Apple**

*Viminaria juncea* **Native Broom**  
*Zieria arborescens*\* **Stinkwood**

Dense, scrambling coastal succulent shrub 1.5-4m x 2m. Dark red berries Aut. Full sun.

Erect, spreading, 1-4m x 1-4m. Purple flrs Sep-Feb. Unripe berries poisonous. Fast-growing. Short-lived.

Slender 2-5m x 2-3m. Pendant sprays light yellow flrs Sp-S. Sun, Semi-shade. Erect 2-7m x 2-3m. Aromatic foliage. Small white flrs Sp. Semi-full shade.

## TREES

*Acacia dealbata* 🌿 **Silver Wattle**  
*Acacia implexa* 🌿 **Lightwood**  
*Acacia leprosa* - see *Acacia stictophylla* 🌿  
*Acacia mearnsii* 🌿 **Black Wattle**

Smooth trunk 8m x 6-8m. Greyish ferny foliage. Bright yellow ball flrs W-Sp.

Upright 6-9m x 5-8m. Sickle-shaped leaves. Perfumed pale yellow ball flrs S-Aut.

Attractive 10-15m x 7-10m. Ferny foliage. Pale yellow balls Sp-S. Attractive ornamental.

Dense canopy 8-12m x 8m. Pale yellow balls W-Sp. Timber tree used for furniture.

Australia's floral emblem. 5-8m x 3-5m. Bright golden balls W-Sp. Sun, semi-shade.

Graceful, weeping 5-8m x 3-5m. Cinnamon-scented foliage. Lemon ball flrs W-Sp.

Dark deeply furrowed bark 5-7m x 3-5m. Sun, semi-shade. Clay, loam, sand.

Erect, dense canopy. Dark furrowed bark. 5-7m x 3-5m. Weeping greyish foliage.

Dense, conical. Aromatic bark/leaves. 3-5m x 2-3m. Perfumed cream flrs Aut-W.

Very large. Smooth grey trunk. Brown/red patches-peeling bark S-Aut. Timber tree.

Dense, fibrous bark. 7-10m x 4-5m. Grey foliage/silver new growth. Cream flrs Aut-W.

Rare in Melb. Decorative tree 7-9m x 5-8m. Attractive, small silvery-grey foliage.

Dense. Grey fibrous bark. 6-9m x 3-5m. Highly aromatic foliage. Cream flrs Sp-S.

Rounded crown. 8-12m x 4-6m. Long strappy green leaves. Cream flrs Aut-W.

Beautiful smooth white-trunk. 6-8m x 4-6m. Profuse cream flrs W-Sp.

Deep fibrous bark, trunk reddish-brown. 7-10m x 3-5m. Clusters white flrs S-Aut.

Fibrous bark. 7-10m x 3-5m. Fragrant white flrs Sp-S. Excellent honey tree.

Dense canopy. Deep fibrous bark. 7-10m x 4-7m. Profuse white flrs S.

Rough bark/smooth white upper branches. 7-10 x 3-6m. White flrs Aut-W. Koala food.

Smooth white trunk/often crooked. 6-8m x 4-6m. Grey foliage. Flrs white Sp-S.

Scaly grey bark. 7-9m x 4-5m. Attractive rounded grey/green leaves. White flrs Sp.

Fibrous bark, crooked smooth grey trunk. 6-8m x 4-6m. White flrs Aut. Koala food.

Fibrous grey bark. 7-9m x 4-6m. Peppermint-scented foliage. Clusters white Sp-S.

Fibrous bark/smooth grey above, shred ribbons. 25m x 15m. Large gardens/parks.

Majestic tall trunk. Smooth grey bark, reddish patches, sheds in strips. Flrs white S.

Ornamental, black deeply-furrowed fibrous trunk. 6-8m x 3-5m. Cream flrs W-Sp.

Tall. Straight white trunk/bark shed long ribbons. 10-15m x 4-7m. Koala food.

Dense. Creamy papery bark. 4-7m x 2.5-4m. Cream scented flr spikes Sp.

Dense. Grey-blackish bark. 4-6m x 2-3m. Cream flr spikes. S-Aut. Sun, semi-shade.

## ORCHIDS

Prices as marked.  
 Varying pot sizes available.

Terrestrial orchids are available approximately May-September. Enquire during this period for specific species available.

*Pterostylis nutans* **Nodding Greenhood**

Rosettes of 3-6 dark green leaves. Translucent nodding green flrs/green stripes Aut-Sp. Dormant over S.

## FERNS

Prices as marked.  
 Varying pot sizes  
 available.

Kuranga Native Nursery has a large range of indigenous Ground Ferns and Tree Ferns available throughout the year. These can be found in our fernery.

<i>Adiantum aethiopicum</i>	<b>Common Maidenhair Fern</b>	Wiry ground fern 10-45cm high. Lacy bright green fronds/black stems. Semi-shade, moist, well drained.
<i>Asplenium bulbiferum ssp. gracillimum</i>	<b>Mother Spleenwort</b>	Spreading clump.20cm-1.2m high x 1m wide. Semi weeping fronds. Epiphytic on treefern trunks, logs. Shade, semi-shade. Moist soil, well drained soil.
<i>Asplenium flabelifolium</i>	<b>Necklace Fern</b>	Ground fern 5-30cm high. Slender bright green fronds. Semi-shade. Well drained.
<i>Blechnum cartilagineum</i>	<b>Gristle Fern</b>	Erect 5cm-1m x 1m. Arching light green fronds/pink new growth. Semi-shade. Moist, well-drained.
<i>Blechnum fluviatile</i>	<b>Ray water-fern</b>	Spreading rosette fern.20-40cm high x 50cm-1m.Shade,semi-shade.Moist.
<i>Blechnum minus</i>	<b>Soft Water-fern</b>	Dense, upright clump.50cm-2m x 50cm-1m.Sun,semi-shade.Moist to wet.
<i>Blechnum nudum</i>	<b>Fishbone Water-fern</b>	Upright clump 50cm-1.2m x 1m. Dark green fronds. Semi-shade. Moist.
<i>Blechnum patersonii ssp. patersonii</i>	<b>Strap Water-fern</b>	Small clumping fern.10-50cm high x 40cm. Full to semi-shade. Moist, well drained soil.
<i>Blechnum watsii</i>	<b>Hard Water-fern</b>	Ground fern 1m x spreading. Broad dark green fronds pink/bronze new growth. Semi-shade. Moist.
<i>Calochlaena dubia</i>	<b>Rainbow Fern</b>	Erect fern, spreading rhizomes.50cm-2m high x spreading. Sun to full shade. Moist,clay.
<i>Cyathea australis</i>	<b>Rough Tree-fern</b>	Tree fern 5-15m. Fibrous trunk, long arching fronds. Some sun once established. Moist.
<i>Cyathea cunninghamii</i>	<b>Slender Tree-fern</b>	Tree fern 10-20m. Slender blackish trunk. Small arching fronds. Protection required. Moist.
<i>Dicksonia antarctica</i>	<b>Soft Tree-fern</b>	Tree fern 2-15m. Robust brown fibrous trunk. Dark arching fronds. Some sun once established. Moist. Sold as bare trunks in nurseries.
<i>Doodia caudata</i>	<b>Small Rasp-fern</b>	Clumping fern 10-30cm wide. Semi shade to dappled shade, moist well drained soil.
<i>Gleichenia dicarpa</i>	<b>Coral Fern</b>	Scrambling 1-1.2m. Wiry light green fronds. Sun, semi-shade. Cold roots required. Moist
<i>Histiopteris incisa</i>	<b>Bat's Wing Fern</b>	30-60cm spreading forming colonies. Moist well drained soil. Semi shade to dappled shade.
<i>Hypolepis glandulifera</i>	<b>Downy Ground-fern</b>	60cm-1.2m high. Soft green fronds. Moist clay soils. Full sun to full shade.
<i>Hypolepis muelleri</i>	<b>Harsh Ground Fern</b>	Creeping 50cm-1.2m. Large dark green fronds on slender stems. Sun. Moist.
<i>Pellaea falcata</i>	<b>Sickle Fern</b>	
<i>Polystrichum proliferum</i>	<b>Mother Shield - fern</b>	Tufting 1-1.5m x 1-1.5m. Dark green arching fronds. Semi-full shade. Moist.
<i>Pteris tremula</i>	<b>Tender Brake Fern</b>	Tufting 60cm - 1.2m. Fine lacy light green fronds. Semi-shade. Moist, well drained.
<i>Rumohra adiantiformis</i>	<b>Leathery Shield - fern</b>	Creeping epiphytic. Grows on logs, boulders, tree ferns. Large green fronds. Moist. Fibrous host needed.
<i>Todea Barbara</i>	<b>King Fern</b>	Tree fern-like 23m x 4m. Arching dark green leathery fronds. Semi-shade. Moist.

### **BUSH FOOD PLANTS IN THIS STOCKLIST ARE MARKED #**

Kuranga Native Nursery strongly recommends that detailed advice should be obtained before any parts of any plants are collected, prepared or eaten. Check thoroughly which part of the plant is edible, and at what stage, and whether special treatment is needed to prepare the plant for human consumption. This particularly applies to fruits.

For a list of reference publications, see our free leaflet, *Bush Foods*, obtainable at the information booth.

Kuranga's bookshelf houses many interesting books on bushfood plants, uses, cooking, preparing, collecting, cultivation requirements.

### **REFERENCE BOOKS ON MELBOURNE'S INDIGENOUS FLORA**

Flora of Melbourne - A comprehensive guide to Melbourne's indigenous native flora including descriptions, pictures, locations, distribution, cultivation and propagating information.

Many other indigenous books to specific areas are available in the gift shop from plants of the sandbelt areas of Melbourne to the Brisbane Ranges.